

MSDS No. 001-STY Issued Mar-14 Page 1/3

# MATERIAL SAFETY DATA SHEET

PRODUCT AND COMPANY IDENTIFICATION	
Product Code:	001-EFK-STY-1
Product Name:	Starkey EFK Yellow Glue Boards 427 x 245 mm
Manufacturer:	
Company name:	Russell IPM Ltd
Address	45 First Avenue, Deeside Industrial Park
	Deeside, Flintshire, CH5 2NU, UK.
Telephone number	(+44) 1244 281 333
Fax Number	(+44) 1244 281 878
Email:	info@russellipm.com
Web:	www.russellipm.com
EMERGENCY TELEPHONE	(+44) 1244 287 010

2	COMPOSITION /INFORMATION ON INGREDIENTS	
	Active Ingredients	UV stable hot melt pressure sensitive adhesive made of synthetic polymers of petrochemical origin, mineral oil and UV filters.
	Trap description	Yellow plastic board coated with hot melt adhesive and laminated with Silicon paper.
	Product function	Insect containment for the purpose of monitoring the target species

3 HAZARD IDENTIFICATION EMERGENCY OVERVIEW

Flammable at temperature over 100C.

4	FIRST AID MEASURES	
	INHALATION	Unlikely mode of exposure . Remove to fresh air. Seek medical advise if symptoms persist.
	EYE	Flush with plenty of water. Seek medical advise if symptoms persist.
	SKIN	Flush with plenty of water. Seek medical advise if symptoms persist.
	INGESTION	
		Unlikely mode of exposure. Wash mouth with plenty of water. Induce vomiting if swallowed. Seek medical advise.

5	FIRE FIGHTING MEASURES		
- 1	FLAMMABLE PROPERTIES EXTINGUISHING MEDIA FIRE FIGHTING INSTRUCTIONS	Flash point Water, Dry powder, CO2 or foam No Special procedures required	Not available



MSDS No. 001-STY Issued Mar-14 Page 2/3

# 6 ACCIDENTAL RELEASE MEASURES

Instruction for preventing environmental pollution

The material should be prevented from contaminating soil or from entering sewage and drainage systems

# 7 HANDLING AND STORAGE

HANDLING

	<ul><li>* Avoid contact with skin and eyes.</li><li>* Wash thoroughly after handling.</li></ul>
STORAGE	* Store in cool, dry and well ventilated place.
	<ul> <li>* Keep away from heat, sparks and open flames.</li> <li>* Refrigeration is not required.</li> </ul>

## 8 EXPOSURE CONTROL/PERSONAL PROTECTION

*	Standard personal and industrial hygiene practices.
*	No special protective equipment is required under,

normal conditions.

# 9 PHYSICAL AND CHEMICAL PROPERTIES Appearance Yelllow plastic board with sticky surface covered by silicon release paper. Odour Non Boiling point Not applicable Vapour pressure Not applicable Specific gravity Not applicable Solubility in water Not soluble

10	0 STABILITY AND REACTIVITY		
	Conditions to avoid	Excessive heat, open flames	
	Stability	Stable under normal conditions	
	Material to avoid	Acids, bases and oxidising material	
- 1	Hazardous decomposition	No data	

# **11 TOXICOLOGICAL DATA**

Not available

# **12** ECOLOGICAL INFORMATION

General

Prevent contamination of soil, ground and surface water.



MSDS No. 001-STY Issued Mar-14 Page 3/3

#### **13** DISPOSAL CONSIDERATION

By incineration or sanitary landfill in accordance with local, state and federal regulations.

# **14** TRANSPORT INFORMATION

Road (U.S. -DOT) Air (IATA) Sea (IMDG)

not regulated not regulated not regulated

#### 15 REGULATORY INFORMATION European information

No published toxicological data available to assigne risk and safety phrases.

OSHA, IARC, NTP Carcinogens lists Non of the components is listed

# **16** OTHER INFORMATION

# Disclaimer of warranties and limitation of liability

The information in this MSDS is furnished without warranty, expresses or implied regarding its correctness. It was compiled from sources which we believe is reliable to the best of our knowledge. Russell IPM Ltd makes no warranty or representation to the suitability of the product for a particular purpose which may be used for and it can not be held liable for any damage or loss which may be consequence of the use of the product or the reliance of the information provided in the document incidentally or consequentially. It is the condition of supply that the suitability of the product for a particular application and the relevance of the information provide to the conditions of the application will be solely determined by the user.

MSDS prepared by

Russell IPM Ltd March 2014